LILLIPUT 290 M

PROFESSIONAL END MILLING MACHINES



Horizontal end milling machine with manual feed. Mitre milling at 90°. Quick cutter change with manual control. Scratch-proof work table. Full guarding of work zone.

Emmegi S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel +39 059 895411
Fax +39 059 566286
P.Iva/C.Fisc 01978870366
info@emmegi.com
www.emmegi.com

The right to make technical alterations is reserved.



Quick tool change

Quick milling tool change, manually controlled by a lever.




Positive indexing stop

The manual 6-position positive indexing stop enables 6 measurements to be set so that the workpiece can be positioned quickly, thus reducing the time of the work cycle. It is also possible to manually adjust the height of the positive indexing stop.



Tool magazine

The tool magazine is located in the machine base so the cutters can be placed in orderly positions, thus remaining in an intact state. Its lateral position makes the pick-up operation easier.



Vices

The machine is provided with a horizontal vice and a vertical vice, both operated pneumatically. The vices are manually adjustable and ensure correct gripping of the profile.

Emmegi S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel +39 059 895411
Fax +39 059 566286
P.Iva/C.Fisc 01978870366
info@emmegi.com
www.emmegi.com

The right to make technical alterations is reserved.

LILLIPUT 290 M / PROFESSIONAL END MILLING MACHINES

CHARACTERISTICS	
Brake motor (kW)	1,1
Tool speed (rpm)	2.800
Travel (mm)	290
Vice capacity (mm)	190 x 110
Horizontal and vertical pneumatic vices, stroke (mm)	8
6-position positive indexing stop	●
Cutter holder sleeve (mm)	Ø = 27 / 32 x 135
Max mill (mm)	Ø = 140
Micro-mist lubrication system with water and oil emulsion	●
Base with mill holder magazine and swarf conveyor	●

Included ● Available ○

Emmegi S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel +39 059 895411
Fax +39 059 566286
P.Iva/C.Fisc 01978870366
info@emmegi.com
www.emmegi.com

The right to make technical alterations is reserved.