TAGLIO

TROLLEYS



Trolley dedicated to vertical transportation and storage of cut profiles.

Emmegi S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY


Tel +39 059 895411
Fax +39 059 566286
P.Iva/C.Fisc 01978870366
info@emmegi.com
www.emmegi.com

The right to make technical alterations is reserved.



Contact surfaces

All side and lower contact surfaces are coated with soft nonslip PVC, which ensures the integrity of the surfaces in the housing stages.



Side bins

A series of convenient bins allow for the storage of small parts in a simple and orderly manner for easy identification of items.



Pivoting wheels

Equipped with 2 fixed wheels and 2 pivoting wheels with brake, which ensure a high degree of mobility and object handling ease. Locking the braking units allows their position to be fixed near different work areas.

Emmegi S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel +39 059 895411
Fax +39 059 566286
P.Iva/C.Fisc 01978870366
info@emmegi.com
www.emmegi.com

The right to make technical alterations is reserved.

TAGLIO / TROLLEYS

CHARACTERISTICS	
Soft PVC contact surface	●
Drawers for short pieces	4
Number of compartments	10
Compartment capacity (mm)	90 x 525
Handle for moving	●
4 low-wear swivel casters, 2 of which with locking (mm)	Ø = 125
Length (mm)	1.560
Width (mm)	960
Height (mm)	1.730
Load capacity (kg)	500
Weight (kg)	85

Included ● Available ○

Emmegi S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel +39 059 895411
Fax +39 059 566286
P.Iva/C.Fisc 01978870366
info@emmegi.com
www.emmegi.com

The right to make technical alterations is reserved.